



THE GENIE ADVANTAGE

Genie® AWP® -20S Aerial Work Platform

Genie®

QUALITY BY DESIGN

Enhanced Accessibility

- ⦿ **Genie® AWP™ Aerial Work Platforms** are easy to use and cost effective, making them the first choice for a wide range of indoor applications.
- ⦿ One person can easily set them up and get to work within minutes, providing the ideal all-around tool for almost any access application.
- ⦿ Their lightweight and compact size makes Genie Aerial Work Platforms convenient to use in schools, worship centers, warehouses and more.

[VIEW ANSI SPEC SHEET](#)

[VIEW CE SPEC SHEET](#)

Value Proposition

1

PERSON
TRANSPORT, SETUP
& OPERATION

UP TO
+10%

LOAD CAPACITY
WITH LOW FLOOR
PRESSURE


ULTRA

EASY ACCESS THRU
DOORS AND
ELEVATORS

-33%*

COMPACT
FOOTPRINT WITH
NARROW X-
OUTRIGGERS

*Avg. across the range vs competition




Main Applications

- Light-Duty Construction
- Maintenance
- Painting
- Schools & Educational centers
- Worship Centers
- Retail & Residence facilities
- Warehouses
- Hospitals
- Hospitality: Hotels, Restaurants, Cafes

[VIEW ANSI SPEC SHEET](#)

[VIEW CE SPEC SHEET](#)



[VIEW ANSI SPEC SHEET](#)

[VIEW CE SPEC SHEET](#)

What should I remember?

- ⤴ Weighs only up to 766 lb / 347 kg, making it easy to load and unload from a van or pickup truck
- ⤴ Can be set up and stowed in minutes, without the need for tools
- ⤴ One person can use the controls to move the machine around the work area, to raise and lower the platform to the desired height

1

PERSON
TRANSPORT, SETUP
& OPERATION

UP TO
+10%

LOAD CAPACITY
WITH LOW FLOOR
PRESSURE

- ⤴ Genie AWP-20S design distributes weight evenly across its outriggers, minimizing pressure on the floor surface
- ⤴ The outrigger stance provides a stable base and prevents damage to sensitive floors
- ⤴ The caster wheels are non-marking, making them ideal for sensitive floors

- ⤴ Genie AWP-20S can be stowed down to a compact size for easy storage and transport, measuring just 4 ft 1 in / 1.24 m long, 2 ft 5 in / 0.74 m wide, and 6 ft 6 in / 1.98 m tall
- ⤴ Easy to maneuver through confined spaces, standard single doorways and elevators

ULTRA

EASY ACCESS THRU
DOORS AND
ELEVATORS

-33%*

COMPACT
FOOTPRINT WITH
NARROW X-
OUTRIGGERS

- ⤴ The combination of narrow X-outriggers and a compact chassis results in the Genie AWP-20S having the smallest footprint in its class, minimizing the space it occupies when in use or stored
- ⤴ Small footprint for easy maneuvering through tight spaces, granting best wall and corner access

*Avg. across the range vs competition